

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	168	"bi-directional latch" or "bi directional latch" or "bidirectional latch"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:33
L2	151519	latch same ("hole" or "opening")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:34
L3	10100	latch near ("hole" or "opening")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:54
L4	2	("6707665").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:54
L5	8	("5465191"   "5548478"   "5594619"   "6122152"   "6275376").PN. OR ("6707665").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 14:54
L6	9	("5205017"   "5465191"   "6115239"   "6122152"   "6517129"   "6535380"   "6707665"   "6717804").PN. OR ("6870740").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 14:55
L7	2976	(312/223.2,215,222,327,329,392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:03
L8	9240	(361/679-687,724-727).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:03
L9	2742	(292/121,122,101,106,137,163,175).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:08
L10	2	9 and ("bi-directional" or "bi directional")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:08

L11	2975	(361/683).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:08
L12	237	11 and (latch lock).drwd.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 15:11
L13	1626	(312/223.1,223.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:11
L14	157	13 and (latch lock).drwd.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 15:11
S2	2862	(312/223.2,215,222,327,329,392). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:03
S3	950	S2 and (spring resilient elastic)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:14
S4	469	S3 and hole	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:15
S5	273	S4 and computer	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:15
S6	286	S4 and (latch lock)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:20
S7	119	((latch or lock) near4 computer).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:25
S8	133	((latch or lock or hook or clamp) near4 computer).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:25
S9	14	S8 not S7	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:25
S10	426	(361/726).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:29
S11	311	S10 and (latch lock hook clamp)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:26
S12	20	("3709538"   "4527821"   "4790579"   "4984833"   "6108196"   "6115239").PN. OR ("6256194"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:18

S13	39	("2475226"   "2735740"   "3658370"   "4363403"   "4660871"   "4901261"   "4964661"   "4982303"   "5253142"   "5351812"   "5409275"   "5466166"   "5488522"   "5497296"   "5510953"   "5515237"   "5555157"   "5574625"   "5576929"   "5580107"   "5612831"   "5721669"   "5737185"   "5740012"   "5809520"   "5812370"   "5818182"   "5825616"   "5841631"   "5959833"   "5969941"   "6010344"   "6049453"   "6068307"   "6115239"   "6129395"   "6256194").PN. OR ("6659516").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:19
S14	24	("1659822"   "2194763"   "2210229"   "3933381"   "4153178"   "4844519"   "4927986"   "4943096"   "5067573"   "5200913"   "5401917"   "5422442"   "5465191"   "5483262"   "5576502"   "5576929"   "5622395"   "5758941").PN. OR ("6068307"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:24
S15	32	("2091651"   "2479269"   "5400213").PN. OR ("5576929"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:28
S16	19	("3671065"   "3841674"   "4061369"   "4320834"   "4909551").PN. OR ("5062671").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:37
S17	82775	("292").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 08:37
S18	355	S17 and "computer"	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:41
S19	3	((("6456491") or ("6653919") or ("20040189017"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 08:48
S20	8061	(361/679-687,724-727).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:03
S21	3810	S20 and (spring resilient elastic)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 09:44
S22	2372	S21 and (latch lock clamp hook)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:49
S23	2128	S22 and (hole or opening)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:50

S24	669	S23 and ((portable or laptop) adj computer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 08:50
S25	4	("20030048600"   "6275376"   "6498721"   "6532152").PN. OR ("6751090").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 09:00
S26	386	S21 and (latch or clamp or hook). drwd.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 09:45
S27	254	S26 not S24	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 09:45
S28	2720	(292/121,122,101,106,137,163, 175).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:07
S29	868	S28 and (spring resilient elastic)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/16 16:29
S30	181	S29 and (latch clamp hook).drwd.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 10:13
S31	39	("2475226"   "2735740"   "3658370"   "4363403"   "4660871"   "4901261"   "4964661"   "4982303"   "5253142"   "5351812"   "5409275"   "5466166"   "5488522"   "5497296"   "5510953"   "5515237"   "5555157"   "5574625"   "5576929"   "5580107"   "5612831"   "5721669"   "5737185"   "5740012"   "5809520"   "5812370"   "5818182"   "5825616"   "5841631"   "5959833"   "5969941"   "6010344"   "6049453"   "6068307"   "6115239"   "6129395"   "6256194").PN. OR ("6659516").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 10:29
S32	6	("5465191"   "5548478"   "5594619"   "6122152"   "6275376").PN. OR ("6707665").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/28 11:06
S33	5	((("6122152") or ("6275376") or ("5594619") or ("5548478") or ("5465191"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 15:35
S34	1	("6707665").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 15:35
S35	626	acer.as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 07:59

S36	0	S35 and ("bi-directional" near4 latch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 07:59
S37	1	S35 and ("bidirectional" near4 latch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 07:59
S38	0	(bidirectiontional near4 latch).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:00
S39	7	(bi-directional near4 latch).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:00
S40	3	(bidirectional near4 latch).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:01
S41	407	bidirectional near4 latch	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:06
S42	2582	(361/683).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 15:08
S43	1027	S42 and (latch lock)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:09
S44	880	S43 and (holes openings)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:10
S45	193	S44 and (latch lock).drwd.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 15:09
S46	2720	(292/121,122,101,106,137,163,175).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 08:17
S47	1136	S46 and (latch lock)".drwd"	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:17
S48	251	S46 and (latch lock).drwd.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:37
S49	1	("6707665").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 08:37
S50	151	("bi-directional latch" or "bi directional latch" or "bidirectional latch")	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:47
S51	7	("5465191"   "5548478"   "5594619"   "6122152"   "6275376").PN. OR ("6707665").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:56

S52	40	("2475226"   "2735740"   "3658370"   "4363403"   "4660871"   "4901261"   "4964661"   "4982303"   "5253142"   "5351812"   "5409275"   "5466166"   "5488522"   "5497296"   "5510953"   "5515237"   "5555157"   "5574625"   "5576929"   "5580107"   "5612831"   "5721669"   "5737185"   "5740012"   "5809520"   "5812370"   "5818182"   "5825616"   "5841631"   "5959833"   "5969941"   "6010344"   "6049453"   "6068307"   "6115239"   "6129395"   "6256194").PN. OR ("6659516").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:57
S53	16	("5206790"   "5335142"   "5409275"   "5465191"   "5497296"   "5518282"   "5580107"   "6076869"   "6108196"   "6115239"   "6122152"   "6129395"   "6256194"   "6275376").PN. OR ("6517129"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:58
S54	20	("3709538"   "4527821"   "4790579"   "4984833"   "6108196"   "6115239").PN. OR ("6256194"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 16:12
S55	10	("4828299"   "5229919"   "5359492"   "5764477").PN. OR ("6185103"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 16:21
S56	26	("3100980"   "3425587"   "4344646"   "4363403"   "4478005"   "4630852"   "4774973"   "4901882"   "5044810"   "5106132"   "5198966"   "5567545"   "5580107"   "5689824"   "5754397"   "5785398").PN. OR ("6129395"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 16:23
S57	13	("5410447"   "5481430"   "5594619"   "5646817"   "5666694"   "5769515"   "5901035"   "5905550").PN. OR ("6125040"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 16:26
S58	17	("5198966"   "5255154"   "5400213"   "5497296").PN. OR ("6122152"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 16:27
S59	4	("4984833"   "6115239"   "6122152"   "6256194").PN. OR ("6563699"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 16:28
S60	8542	(361/679-687,724-727).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/15 16:30

S61	1808	S60 and latch	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/15 16:30
S62	343	S60 and latch.drwd.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/15 16:30
S63	7	("5465191"   "5548478"   "5594619"   "6122152"   "6275376").PN. OR ("6707665").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/16 14:05
S64	437	(361/726).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:29
S65	2918	(312/223.2,215,222,327,329,392): CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:29
S66	2729	(292/121,122,101,106,137,163, 175).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:29
S67	2729	(292/121,122,101,106,137,163, 175).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 16:29
S68	877	S67 and (spring resilient elastic)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/16 16:29
S69	42	("2475226"   "2735740"   "3658370"   "4363403"   "4660871"   "4901261"   "4964661"   "4982303"   "5253142"   "5351812"   "5409275"   "5466166"   "5488522"   "5497296"   "5510953"   "5515237"   "5555157"   "5574625"   "5576929"   "5580107"   "5612831"   "5721669"   "5737185"   "5740012"   "5809520"   "5812370"   "5818182"   "5825616"   "5841631"   "5959833"   "5969941"   "6010344"   "6049453"   "6068307"   "6115239"   "6129395"   "6256194").PN. OR ("6659516").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 10:53
S70	2	"casing" and "seating groove" and "passage hole" and "latch" and "surface" and "frame" and "latching holes" and "catching protrusions" and "keeper"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:01

S71	4	("2003048660").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:02
S72	0	("2003048660").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:02
S73	4	("2003048600").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:02
S74	0	("2003048600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 11:03
S75	0	(2003/048600).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 11:03
S76	0	("2003048600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 11:03
S77	4	("2003048600").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:04
S78	24	"chian chu-hsian"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:04
S79	9	("5205017"   "5465191"   "6115239"   "6122152"   "6517129"   "6535380"   "6707665"   "6717804").PN. OR ("6870740"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 11:05
S80	7	("5465191"   "5548478"   "5594619"   "6122152"   "6275376").PN. OR ("6707665").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 11:07
S81	0	("0990975").PN.	EPO	OR	OFF	2005/12/05 11:08
S82	0	("0990975").PN.	EPO	OR	OFF	2005/12/05 11:11



S83	0	ep-0990975-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:12
S84	2	ep-990975-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:12
S85	2	ep-600410-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:15
S86	2	("6076869").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:16
S87	2	ep-1507187-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:16
S88	2741	(292/121,122,101,106,137,163, 175).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 11:58
S89	887	S88 and (spring resilient elastic)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 11:50
S90	154	"bi-directional latch" or "bidirectional latch" or "bi directional latch"	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 11:50
S91	168	"bi-directional latch" or "bidirectional latch" or "bi directional latch"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:50
S92	39	S88 and ("electronic device" or "computer" or "information processing device")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:59

S93	39	S88 and ("electronic device" or "computer" or "information processing device" or "electronic apparatus")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:03
S94	3005	(361/683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:03
S95	1163	S94 and ("latch" or "lock")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:00
S96	0	S95 not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 13:26
S97	1842	S94 not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 13:56
S98	1727	(361/681).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:56
S99	1532	S98 not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:00
S10 0	1615	(312/223.1,223.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:11

S10 1	674	S100 and ("latch" or "lock")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 15:00
----------	-----	------------------------------	---	----	----	------------------

# Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1029	((312/223.2,222,327,329) or (292/137) or (361/683)).CCLS.	US-PGPUB	OR	OFF	2006/01/03 15:48
L4	1	3 and ("casing" and "seating groove" and "passage hole" and "latch" and "frame" and "latching holes" and "catching protrusions" and "lateral edges" and "keeper"). clm.	US-PGPUB	OR	ON	2006/01/03 15:49
L5	0	3 and ("first body" and "passage hole" and "latch" and "frame" and "engagement portions" and "second body" and "recess" and "engagement catch" and "inclined surface").clm.	US-PGPUB	OR	ON	2006/01/03 15:56
L6	0	3 and ("first body" and "main body" and "first surface" and "opposite surface" and "latch" and "passage hole" and "first and second engagement protrusions" and "engagement catch" and "recess" and "catching protrusion" and "inclined surface").clm.	US-PGPUB	OR	ON	2006/01/03 15:57